

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

remanium star CL, Powder 10-30 µm

Further trade names

Article No.: 102-403-89

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Health services.

1.3. Details of the supplier of the safety data sheet

Company name:	DENTAURUM GmbH & Co. KG	
Street:	Turnstr. 31	
Place:	D-75228 Ispringen	
Telephone:	+49 7231 803 0	Telefax: +49 7231 803 295
e-mail:	info@dentaurum.de	
Internet:	www.dentaurum.com	

Further Information

Emergency telephone:
07:00 - 16:15 (Mo - Do), 07:00 - 13:15 (Fr) +49 7231 803 193
16:15 - 18:00 (Mo - Do), 13:15 - 18:00 (Fr) +49 7231 803 0

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
Acute toxicity: Acute Tox. 4
Serious eye damage/eye irritation: Eye Irrit. 2
Respiratory or skin sensitisation: Resp. Sens. 1
Respiratory or skin sensitisation: Skin Sens. 1
Carcinogenicity: Carc. 1B
Reproductive toxicity: Repr. 2
Hazardous to the aquatic environment: Aquatic Acute 1
Hazardous to the aquatic environment: Aquatic Chronic 1
Hazard Statements:
Harmful if swallowed.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
May cause cancer by inhalation.
Suspected of damaging fertility.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Do not breathe dust.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Cobalt

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 2 of 7

Pictograms:



Hazard statements

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H350i	May cause cancer by inhalation.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201	Obtain special instructions before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P373	Do NOT fight fire when fire reaches explosives.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Metal powder.

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	GHS Classification	
7440-48-4	Cobalt	30-70 %
	Carc. 1B, Repr. 2, Acute Tox. 4, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H361f H302 H319 H334 H317 H400 H410	
7440-47-3	Chromium	20-40 %
7440-33-7	Tungsten	5-15 %

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Inhalation of dust/particles: Remove casualty to fresh air and keep warm and at rest.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 3 of 7

After contact with skin

Wash with plenty of water.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Induce vomiting when the affected person is not unconscious.

Medical treatment necessary.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

In case of fire, use fire extinguisher class D.

Unsuitable extinguishing media

Water. Foam. ABC powder. Carbon dioxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid dust formation.

Remove all sources of ignition.

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Keep container tightly closed.

Collect in closed containers for disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid dust formation.

Advice on protection against fire and explosion

Avoid dust formation.

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep/Store only in original container.

Further information on storage conditions

Keep container tightly closed.

Keep container dry.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 4 of 7

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7440-47-3	Chromium	-	0.5		TWA (8 h)	WEL
-	Tungsten compounds (as W): insoluble compounds and others	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Do not breathe dust.

Avoid contact with eyes and skin.

Eye/face protection

Wear eye/face protection.

Hand protection

Recommendation: z. B. Dermatril 740 (Fa. KCL)

Suitable material: Nitrile

Thickness of glove material: 0,11 mm

penetration time (maximum wearing period): > 480 min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Particle filter device (DIN EN 143): FFP3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Powder
 Colour: grey
 Odour: odourless

Changes in the physical state

Density: 4,5 - 5,7 g/cm³
 Water solubility: insoluble

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Remove all sources of ignition.

Soluble in: acid.

10.6. Hazardous decomposition products

none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 5 of 7

ATEmix calculated

ATE (oral) 826,4 mg/kg

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7440-48-4	Cobalt				
	oral	ATE mg/kg	500		

Sensitising effects

May cause sensitization by inhalation and skin contact.

Practical experience**Observations relevant to classification**

Irritating to eyes and skin.

SECTION 12: Ecological information**Further information**

Do not allow to enter into surface water or drains.

Solubility in water (g/l): The study does not need to be conducted because the substance is known to be insoluble in water.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation. For recycling, contact recycling exchanges.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

UN 3077

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es):

9

14.4. Packing group:

III

Hazard label:

9



Classification code:

M7

Special Provisions:

274 335 375 601

Limited quantity:

5 kg

Excepted quantity:

E1

Transport category:

3

Hazard No:

90

Tunnel restriction code:

-

Inland waterways transport (ADN)**14.1. UN number:**

UN 3077

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es):

9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 6 of 7

14.4. Packing group:

III

Hazard label:

9



Classification code:

M7

Special Provisions:

274 335 375 601

Limited quantity:

5 kg

Excepted quantity:

E1

Marine transport (IMDG)**14.1. UN number:**

UN 3077

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es):

9

14.4. Packing group:

III

Hazard label:

9



Special Provisions:

274, 335, 966, 967, 969

Limited quantity:

5 kg

Excepted quantity:

E1

EmS:

F-A, S-F

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:**

UN 3077

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es):

9

14.4. Packing group:

III

Hazard label:

9



Special Provisions:

A97 A158 A179 A197

Limited quantity Passenger:

30 kg G

Passenger LQ:

Y956

Excepted quantity:

E1

IATA-packing instructions - Passenger:

956

IATA-max. quantity - Passenger:

400 kg

IATA-packing instructions - Cargo:

956

IATA-max. quantity - Cargo:

400 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

yes

**14.6. Special precautions for user**

Personal protection equipment: see section 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

remanium star CL, Powder 10-30 µm

Revision date: 31.07.2018

Product code: 102-403-89

Page 7 of 7

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,8,11,14,15,16.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 1B; H350i	Calculation method
Repr. 2; H361f	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H350i	May cause cancer by inhalation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)