

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: AP&C - Ti-6Al-4V Grade 5, Grade 23 (Fine)
Trade name	: Ti-6Al-4V Grade 5, Grade 23 (Fine)
Product code	: PAPS-030, PAPS-031, PAPS-025, PAPS-024, PAPS-020, PAPS-043, PAPS-051, CL41TI
Type of product	: size: 0-20 µm, 0-25 µm, 10-45 µm, 15-45 µm, 25-45 µm, 0-45 µm, or similar
Product group	: Metal Alloy powders

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use
Use of the substance/mixture	: Raw material for 3D-printing and Powder Metallurgy Uses (HIP, MIM Additive Manufacturing). For Industrial, Research & Development (R&D) or Laboratory Use Only (Reserve Only to Trained personnel).

1.2.2. Uses advised against

Restrictions on use	: Other uses than the identified uses indicated above.
---------------------	--

1.3. Details of the supplier of the safety data sheet

Supplier

GE Additive / AP&C Advanced Powders and Coatings Inc.
3765 La Vérendrye, suite 110
CA- J7H 1R8 Boisbriand, Québec
Canada
T +1 450.434.1004
GEAdd.SDS@ge.com - www.advancedpowders.com

Distributor

GE Additive / Concept Laser GmbH
An der Zeil, 8
DE- 96215 Lichtenfels
Germany
T +49 (0)9571 1679 0

1.4. Emergency telephone number

Emergency number	: For Chemical Emergency Call INFOTRAC (Canada additional: CANUTEC +1 613.996.6666) 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: +1-352-323-3500 (collect calls accepted)
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 1 H228
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Flammable solid.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP)	: H228 - Flammable solid.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P243 - Take action to prevent static discharges. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P370+P378 - In case of fire: Use media other than water to extinguish.
Extra phrases	: May form combustible dust concentrations in air.

2.3. Other hazards

Other hazards which do not result in classification : Dust clouds may form weak explosive mixtures with air. Handling and/or processing of this material may generate a dust which may form flammable or explosive mixture with air. Such dust can also cause mechanical irritation of the eyes, skin, nose and throat. May form potentially combustible dust concentrations when suspended in air or other oxidizing medium.

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
vanadium (7440-62-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : The powders declared herein are considered "mixtures" from a GHS SDS point of view, but are in reality "alloyed powders" (so not a "mixture" of different "elemental" powders). The GHS & SDS structure forces us to use such "mixture" categorization. See the Notes below the table for more details.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
titanium, powder, dry, slightly self-heating	CAS-No.: 7440-32-6 EC-No.: 231-142-3 REACH-no: 01-2119484878-14	88.75 – 91	Not classified
aluminium, powder, uncoated, non pyrophoric, water-reactive	CAS-No.: 7429-90-5 EC-No.: 231-072-3 EC Index-No.: 013-002-00-1 REACH-no: 01-2119529243-45	5.5 – 6.75	Flam. Sol. 1, H228 Water-react. 2, H261

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
vanadium	CAS-No.: 7440-62-2 EC-No.: 231-171-1 REACH-no: 01-2119537418-34	3.5 – 4.5	Not classified

Comments : The substances identified as "constituents" are chemical compounds that are typically present in the UVCB substance. Their presence may be relevant for hazard classification, or other health / environmental reasons (i.e. OELs)

The substances identified above and forming the mixture are all purposely selected to be in powder form, when available. The Table is primarily indicative of individual elements identification, classification and % in the alloyed powders. The final products are classified in the SDS, section 2. Per our metal powder SDS authoring process, we always use the powder form of a given chemical element in sect. 3, when it is available from our recognized external chemical database. This is to ensure all risk inherent to the powder form of any substance is taken into account as a baseline. Only scientific evidence and/or test data can in the end determine the final product classification and "declassify" it, if applicable. This process assures a maximum safety level for all users.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove the victim into fresh air. Give oxygen or artificial respiration if necessary. Get medical advice/attention.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Obtain emergency medical attention. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after eye contact : Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry Sand, Class D extinguisher, Limestone, Unpressurized Water with local Safety Office/Fire Department approved metal fire additive (e.g. surfactants)
Use fire extinguishing methods suitable to surrounding conditions.

Unsuitable extinguishing media : Any media not listed as suitable (above) and/or not approved by local authorities.).
Water (without local Safety Office/Fire Department approved additive).

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable solid.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Protection during firefighting : Wear appropriate protective equipment and self-contained breathing apparatus (SBCA). Self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment. Complete protective clothing. Wear appropriate protective equipment and self-contained breathing apparatus (SBCA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid generating dust. Avoid breathing dust. Eliminate every possible source of ignition. No open flames. No smoking. Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.

6.1.1. For non-emergency personnel

- Emergency procedures : Avoid contact with skin, eyes and clothing. Do not touch or walk on the spilled product. Only qualified personnel equipped with suitable protective equipment may intervene. See section 8 of the SDS for more information on personal protective equipment. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

- For containment : Do not use compressed air for pumping over spills. Do not push powder long distances across the floor. Keep in small piles away from each other.
Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Dust may form flammable and explosive mixture with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Maintain a supply of "coarse" (rock-type) salt and/or "Class D" (for metal fires) fire extinguisher located near processing and storage areas. Keep work areas clean and free of waste. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Provide local exhaust or general room ventilation to minimize exposure to dust. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. When plastic liners are present in pails and are the primary powder barrier bag, it is not recommended to handle powder only in those liners. The powder should at all times be handled within their liners & pails (as shipped/received). This to prevent powder leaks and safely carry the powder (in case of damaged bag during transport, etc.).
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment. Comply with applicable regulations. Keep in a cool, well-ventilated place away from heat. Store in a well-ventilated place. Keep container tightly closed. Ensure adequate ventilation, especially in confined areas. Maintain air gap between stacks/pallets.
Storage conditions	: Keep cool. Protect from sunlight. Keep away from ignition sources. Store away from other materials. Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ti-6Al-4V Grade 5, Grade 23 (Fine)	
Germany - Biological limit values (TRGS 903)	
Local name	Aluminium
Biological limit value	50 µg/g creatinine Parameter: Aluminium - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: c) bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten - Festlegung/Begründung: 11/2018 DFG
Regulatory reference	TRGS 903
Spain - Occupational Exposure Limits	
Local name	Aluminio
VLA-ED (OEL TWA) [1]	1 mg/m ³ Fracción respirable
Remark	d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
USA - ACGIH - Occupational Exposure Limits	
Local name	Aluminum metal and insoluble compounds
ACGIH OEL TWA	1 mg/m ³ (R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pneumoconiosis; LRT irr; neurotoxicity. Notations: A4 (Not classifiable as a Human Carcinogen)

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ti-6Al-4V Grade 5, Grade 23 (Fine)	
Regulatory reference	ACGIH 2022
titanium, powder, dry, slightly self-heating (7440-32-6)	
Bulgaria - Occupational Exposure Limits	
Local name	Титан
OEL TWA	1 mg/m ³
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Latvia - Occupational Exposure Limits	
Local name	Titāns
OEL TWA	10 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
Poland - Occupational Exposure Limits	
Local name	Tytan i jego związki
NDS (OEL TWA)	10 mg/m ³
NDSch (OEL STEL)	30 mg/m ³
Regulatory reference	Dz. U. 2018 poz. 1286
Romania - Occupational Exposure Limits	
Local name	Titan
OEL TWA	10 mg/m ³
OEL STEL	15 mg/m ³
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
vanadium (7440-62-2)	
Austria - Occupational Exposure Limits	
Local name	Vanadium
MAK (OEL TWA)	0.5 mg/m ³ (inhalable fraction)
MAK (OEL STEL)	1 mg/m ³ (inhalable fraction)
Regulatory reference	BGBI. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
OEL TWA	0.03 mg/m ³
Czech Republic - Occupational Exposure Limits	
Local name	Vanad a anorganické sloučeniny jako V
PEL (OEL TWA)	0.05 mg/m ³ (dust)
NPK-P (OEL C)	0.15 mg/m ³ (prach)
Remark	V - vdechovatelná frakce aerosolu.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
France - Occupational Exposure Limits	
VME (OEL TWA)	0.05 mg/m ³
OEL chemical category	Mutagen categories 1A, 1B, 2, Reproductive Toxin categories 1A, 1B, 2

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

vanadium (7440-62-2)	
Latvia - Occupational Exposure Limits	
Local name	Vanādijs un tā savienojumi (ferrovanādijs (pēc vanādija))
OEL TWA	1 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Romania - Occupational Exposure Limits	
OEL TWA	0.05 mg/m ³ (fume) 0.1 mg/m ³ (dust)
OEL STEL	0.1 mg/m ³ (V2O5 fume)
Norway - Occupational Exposure Limits	
Local name	Vanadium
Grænseverdi (OEL TWA) [1]	0.2 mg/m ³ (dust)
Korttidsverdi (OEL STEL)	0.6 mg/m ³ (dust)
Takverdi (OEL C) [1]	0.05 mg/m ³ (fume)
Regulatory reference	FOR-2021-06-28-2248
aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
Austria - Occupational Exposure Limits	
Local name	Aluminium (als Metall)
MAK (OEL TWA)	10 mg/m ³ inhalable fraction
MAK (OEL STEL)	20 mg/m ³ inhalable fraction
Regulatory reference	BGBl. II Nr. 156/2021
Austria - Biological limit values	
Local name	Aluminium-haltige Stäube und Rauche
BLV	60 µg/g creatinine Parameter: Aluminium - Untersuchungsmaterial: Harn
Remark	Eignung mit vorzeitiger Folgeuntersuchung: Bei Überschreiten des Grenzwertes für Aluminium im Harn. Bei Vorliegen einer wesentlichen Beeinträchtigung der Lungenfunktion. Diese liegt vor, wenn nach mehrmaliger Messung der beste gemessene Wert den für den/die Untersuchte/n maßgebenden Sollwert um 20% unterschreitet, bzw. den MEF50-Sollwert um 50% unterschreitet. Eine vorzeitige Folgeuntersuchung ist jedoch nicht erforderlich, wenn im Vergleich zu Vorbefunden der altersabhängige physiologische Abfall der 1 Sekundenkapazität (FEV1) von 40 ml/Jahr nicht überschritten wird oder aus der Beurteilung des Kurvenverlaufes der Forcierten Vitalkapazität (FVC) eine eingeschränkte Mitarbeit des Untersuchten/der Untersuchten ersichtlich ist. Der Zeitabstand zwischen den Untersuchungen beträgt bei Eignung: ein Jahr; bei Eignung mit vorzeitiger Folgeuntersuchung: sechs Monate.
Regulatory reference	Verordnung über die Gesundheitsüberwachung am Arbeitsplatz 2017 (VGÜ 2017)
Belgium - Occupational Exposure Limits	
Local name	Aluminium # Aluminium
OEL TWA	1 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Алуминий

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
OEL TWA	10 mg/m ³ (metal dust) 1.5 mg/m ³ (respirable fraction)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Aluminij
GVI (OEL TWA) [1]	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Croatia - Biological limit values	
Local name	Aluminij
BLV	200 mg/l (Biological Exposure Indices - BEI: Medium: Urine - Time: no restrictions - Parameter: Aluminium)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Local name	Hliník a jeho oxidy (s výjimkou gama Al ₂ O ₃)
PEL (OEL TWA)	10 mg/m ³ (dust)
Remark	Prachy s převážně nespecifickým účinkem.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Aluminium, pulver og støv
OEL TWA [1]	5 mg/m ³ (dust, fume and powder, total) - Limit Values (Prolonged) ("Grænseværdie(langvarig)") 2 mg/m ³ (dust and powder, respirable) - Limit Values (Prolonged) ("Grænseværdie(langvarig)")
Regulatory reference	BEK nr 1054 af 28/06/2022
Estonia - Occupational Exposure Limits	
Local name	Alumiinium, metalliline ja oksiidid
OEL TWA	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
Remark	1 (Peentolm koosneb alla 2,5-mikromeetrise läbimõõduga osakestest, mis võivad jõuda koos sissehingatava õhuga kopsu alveoolidesse (respireeritav fraktsioon))
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	1.5 mg/m ³
France - Occupational Exposure Limits	
Local name	Aluminium
VME (OEL TWA)	10 mg/m ³ 5 mg/m ³
Remark	VME conditions: 10 mg/m ³ - metal; 5 mg/m ³ - dust

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	3 mg/m ³ (dust, fume and powder, total)
AGW (OEL TWA) [2]	1 mg/m ³ (dust and powder, respirable)
Germany - Biological limit values (TRGS 903)	
Local name	Aluminium
Biological limit value	50 µg/g creatinine Parameter: Aluminium - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: c) bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten - Festlegung/Begründung: 11/2018 DFG
Regulatory reference	TRGS 903
Greece - Occupational Exposure Limits	
Local name	Αργίλιο μεταλλικό & οξειδίο του αργιλίου
OEL TWA	10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction)
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	ALUMINIUM (oldható, AL-ra számolva)
AK (OEL TWA)	6 mg/m ³ (respirable dust)
Remark	N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Hungary - Biological Exposure Indices	
Local name	Alumínium
BEI	0.06 mg/g creatinine Biológiai expozíciós (hatás) mutató: alumínium - Biológiai minta: vizeletben - Mintavétel ideje: n.k. (nem kritikus) 0.25 µmol/mmol Creatinine Biológiai expozíciós (hatás) mutató: alumínium - Biológiai minta: vizeletben - Mintavétel ideje: n.k. (nem kritikus)
Remark	A foglalkozási vegyi expozíció esetén ajánlott biológiai expozíciós és hatásmutatók határértékei
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Aluminium metal
OEL TWA [1]	1 mg/m ³ (respirable dust)
OEL STEL	3 mg/m ³ (calculated - respirable dust)
Regulatory reference	Chemical Agents Code of Practice 2021
Latvia - Occupational Exposure Limits	
Local name	Alumīnijs un tā sakausējumi (pēc alumīnija)
OEL TWA	2 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m ³ (inhalable fraction) 2 mg/m ³ (respirable fraction) 1 mg/m ³
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	0.05 mg/m ³
Poland - Occupational Exposure Limits	
Local name	Glin metaliczny, glin proszek (niestabilizowany)
NDS (OEL TWA)	2.5 mg/m ³ (inhalable fraction) 1.2 mg/m ³ (respirable fraction)
Remark	Frakcja wdychalna – frakcja aerozolu wnika ­ jąca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnika ­ jąca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Alumínio e compostos insolúveis, expresso em Al
OEL TWA	10 mg/m ³ (dust, fume and powder, total) 5 mg/m ³ (dust and powder, respirable)
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
OEL TWA	3 mg/m ³ (dust) 1 mg/m ³ (inhalable fraction)
OEL STEL	10 mg/m ³ (powder) 3 mg/m ³ (fume)
Romania - Biological limit values	
BLV	200 µg/l (Medium: urine - Time: no restrictions - Parameter: Aluminium)
Remark	Biological Exposure Index
Slovakia - Occupational Exposure Limits	
Local name	Hliník kovový
NPHV (OEL TWA) [1]	6 mg/m ³ (total aerosol) 1.5 mg/m ³ (metal)
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovakia - Biological limit values	
Local name	Hliník
BLV	60 µg/g creatinine (Medium: urine - Time: no restrictions - Parameter: Aluminium)
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 471/2011 Z.z.)
Slovenia - Biological limit values	
Local name	aluminij
BLV	50 µg/l Parameter: aluminij - Biološki vzorec: urin - Čas vzorčenja: ob koncu delovne izmene ob koncu delovne izmene, pri dolgotrajni izpostavljenosti: ob koncu delovne izmene po več zaporednih delavnikih

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Aluminio
VLA-ED (OEL TWA) [1]	10 mg/m ³ (dust)
Remark	d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Aluminium, metall och oxid (som Al)
NGV (OEL TWA)	5 mg/m ³ (total dust) 2 mg/m ³ (respirable dust)
Remark	3 (Den respirabla fraktionen är de inhalerbara partiklar som når längst ner i luftvägarna, till alveolerna i lungorna. Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Aluminium
WEL TWA (OEL TWA) [1]	10 mg/m ³ 4 mg/m ³
Remark	WEL conditions: 10 mg/m ³ - inhalable dust; 4 mg/m ³ - respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Norway - Occupational Exposure Limits	
Local name	Aluminiumpulver (pyroteknikk)
Grenseverdi (OEL TWA) [1]	5 mg/m ³ (pyrotechnical-powder)
Korttidsverdi (OEL STEL)	5 mg/m ³ (pyrotechnical-powder)
Regulatory reference	FOR-2021-06-28-2248
Switzerland - Occupational Exposure Limits	
Local name	Aluminium métal / Aluminium (Metall)
MAK (OEL TWA) [1]	3 mg/m ³ (VME, respirable dust)
Critical toxicity	Formel / Formal
Notation	B / B
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022
Switzerland - BAT	
Local name	Aluminium métal / Aluminium (Metall)
BAT	60 µg/g creatinine (Medium: urine - Time: no restrictions - Parameter: Aluminium)
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

USA - ACGIH - Occupational Exposure Limits

Local name	Aluminum metal and insoluble compounds
ACGIH OEL TWA	1 mg/m ³ (Respirable fraction)
Remark (ACGIH)	TLV: 1 mg/m ³ ; OSHA PEL (TWA): 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); NIOSH REL (TWA): 10 mg/m ³ (total dust) & 5 mg/m ³ (respirable dust)
Regulatory reference	ACGIH 2022

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Dustproof clothing. Gloves. Safety glasses. Dust production: dust mask with filter type P1.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

Respiratory protection:

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the material, and the safe working limits of the selected respirator. Recommendation: Filter P3 or N95 or P100 based on exposure level.

8.2.2.4. Thermal hazards

Thermal hazard protection:

Wear fire/flammable resistant/retardant clothing.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Install and operate general and/or local exhaust ventilation systems of sufficient power to maintain airborne concentration below the defined or recommended limit. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the material, and the safe working limits of the selected respirator. Avoid release to the environment.

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Consumer exposure controls:

Comply with applicable regulations. Keep in a cool, well-ventilated place away from heat. Store in a well-ventilated place. Keep container tightly closed. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Grey.
Appearance	: Metal powder.
Odour	: Odourless.
Odour threshold	: Not available
Melting point	: 1605 – 1660 °C
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: ≈ 325 °C Layer (5 mm) ignition temperature (LIT) Flammable solid.
Explosive properties	: Very fine dust clouds (0-15 microns) may form weak explosive mixtures with air, the measured maximum pressure of a dust cloud explosion (Pmax) and the speed of the pressure rise (KSt) are 3.9(bar) and 22(bar.m/s) respectively. Fine dust clouds may form explosive mixtures with air. Risk of explosion if heated under confinement.
Oxidising properties	: not expected.
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: ≈ 493 °C Minimum (dust cloud) ignition temperature (MIT)
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: ≈ 4.43 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available
Particle shape	: Spherical
Particle aspect ratio	: Highly spherical

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Other properties	: Typical data for Ti-6Al-4V 15-45 microns powder (D10 - 21 µm / D50 - 32 µm / D90 - 49 µm)
Minimum Ignition Energy (MIE) 15-45 µm	: 4-5 mJ (without inductance)
Explosion severity (20 litres sphere) 15-45 µm	: > Pmax = 6.1 bar (@ 4000 g/m ³)
(dP/dt) _{max} 15-45 µm	: 200 bar/s (@ 6000 g/m ³)
Explosive limits - Limiting Oxygen Concentration (LOC) 15-45 µm	: 7 vol %
Lower explosive limit (LEL) - Minimum Explosive Concentration (MEC) 15-45 µm	: 50 g/m ³
Dust deflagration index 15-45 µm	: 60 bar·m/s (Kst)
Minimum Ignition Energy (MIE) 15-45 µm	: > 3-4 mJ (with inductance)
Dust explosion category 15-45 µm	: St 1 Weak explosion

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating may cause a fire or explosion. Flammable solid.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. When burning, contact with water releases flammable gas.

10.4. Conditions to avoid

Dust clouds may form weak explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. static discharge. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials. Acids. Oxidizing agent. Halogenated hydrocarbons. Strong acids. Strong bases.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

titanium, powder, dry, slightly self-heating (7440-32-6)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
vanadium (7440-62-2)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 5.05 mg/l (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))
aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
LD50 oral rat	> 15900 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral, 14 day(s))
LC50 Inhalation - Rat	> 0.89 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 0.888 mg/l Source: ECHA
Skin corrosion/irritation	: Not classified
aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
pH	No data available in the literature
Serious eye damage/irritation	: Not classified
aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	
pH	No data available in the literature
Respiratory or skin sensitisation	: Not classified

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

vanadium (7440-62-2)

NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
----------------------------	--

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.05 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (subchronic, oral, animal/male, 90 days)	1034 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	1087 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)

Aspiration hazard	: Not classified
-------------------	------------------

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Viscosity, kinematic	Not applicable
----------------------	----------------

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Not rapidly degradable	

titanium, powder, dry, slightly self-heating (7440-32-6)

EC50 72h - Algae [1]	> 10000 mg/l Test organisms (species): Skeletonema costatum
----------------------	---

vanadium (7440-62-2)

LC50 - Fish [1]	693 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Leuciscus idus, Semi-static system, Fresh water, Read-across, GLP)
ErC50 algae	2907 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

titanium, powder, dry, slightly self-heating (7440-32-6)

Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

vanadium (7440-62-2)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

titanium, powder, dry, slightly self-heating (7440-32-6)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

vanadium (7440-62-2)

BCF - Fish [1]	4.5 – 64.3 (70 day(s), <i>Jordanella floridae</i> , Flow-through system, Fresh water, Weight of evidence, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	0.23 Source: EPI SUITE
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

12.4. Mobility in soil

titanium, powder, dry, slightly self-heating (7440-32-6)

Mobility in soil	1.582
Ecology - soil	Adsorbs into the soil.

vanadium (7440-62-2)

Mobility in soil	1.582 Source: EPI SUITE
Ecology - soil	No (test)data on mobility of the substance available.

aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)

Surface tension	900 mN/m (700 °C)
Ecology - soil	Adsorbs into the soil.

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Component	
vanadium (7440-62-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
aluminium, powder, uncoated, non pyrophoric, water-reactive (7429-90-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to environmental protection and waste disposal legislation and any national, regional and local authority requirements. Disposal must be done according to official regulations.
Waste treatment methods	: The generation of waste should be avoided or minimised whenever possible. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: a hazardous or special waste collection point. Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3089	UN 3089	UN 3089	UN 3089	UN 3089
14.2. UN proper shipping name				
METAL POWDER, FLAMMABLE, N.O.S.	METAL POWDER, FLAMMABLE, N.O.S.	Metal powder, flammable, n.o.s.	METAL POWDER, FLAMMABLE, N.O.S.	METAL POWDER, FLAMMABLE, N.O.S.
Transport document description				
UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II, (E)	UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II	UN 3089 Metal powder, flammable, n.o.s., 4.1, II	UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II	UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II
14.3. Transport hazard class(es)				
4.1	4.1	4.1	4.1	4.1
				

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F3
Special provisions (ADR)	: 552
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP11
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Hazard identification number (Kemler No.)	: 40
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 4Y

Transport by sea

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B21, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-G
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SGG7, SGG15, SG17, SG25, SG26

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y441
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 445
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 448
CAO max net quantity (IATA)	: 50kg
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 3L

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Inland waterway transport

Classification code (ADN)	: F3
Special provisions (ADN)	: 552
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: F3
Special provisions (RID)	: 552
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP11
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W1
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 40

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	CAS-No.	Combined Nomenclature code (CN)	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Aluminium, powders	7429-90-5	7603 10 00; ex 7603 20 00	

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
- Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
- Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

- ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
- SZW-lijst van kankerverwekkende stoffen : None of the components are listed
- SZW-lijst van mutagene stoffen : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Switzerland

- Storage class (LK) : LK 4.1 - Flammable solids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
WGK	Water Hazard Class
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number

Ti-6Al-4V Grade 5, Grade 23 (Fine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Flam. Sol. 1	Flammable solids, Category 1
H228	Flammable solid.
H261	In contact with water releases flammable gases.
Water-react. 2	Substances and Mixtures which, in contact with water, emit flammable gases, Category 2

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new processed material.